Efficient Testing Solutions



Non-Contact Sheet Resistance **Tester**



DATA SHEET - EddyCus® TF lab 2020 series

HIGHLIGHTS

- Contact-free & real-time
- Accurate single-point measurement of sheet resistance for conductive thin films (Ohm/sq)
- Layer thickness measurement of metal films (nm)
- Layer and substrate thickness monitoring (µm)
- Characterization of multilayer systems on request
- Manual mapping of sheet resistance guided by an easy-to-handle software

APPLICATIONS

- > Architectural glass (LowE)
- > Touch screens & flat monitors
- > OLED & LED applications
- > Smart-glass applications
- > Transparent antistatic foils
- > Photovoltaics
- > Semiconductors
- > De-icing & heating applications
- > Batteries & fuel cells
- > Packaging materials



SURAGUS GmbH Maria-Reiche-Str. 1 01109 Dresden Germany







www.suragus.com www.sheet-resistance-testing.com email: info@suragus.com phone: +49 (0) 351 32 111 520 fax: +49 (0) 351 32 111 509

Visit us on












DATA SHEET

EddyCus® TF lab 2020 series – Sheet Resistance Tester



Ludycus II lab 2020 selle

Sheet resistance measurement technology

Substrates

Substrate area

Max. sample thickness/sensor gap(defines distances)

Sheet resistance range

Thickness measurement range of metal films (e.g. Cu, Al)

Device dimension (w/h/d)

Weight

Available future

Non-contact eddy current sensor

e.g. foil, glass, wafer, etc.

8 inch / 204 x 204 mm (open to three sides)

1/2/5/10/25 mm (defined by the thickest sample / application)

0.0001 – 10 Ohm/sq; 2 % accuracy & 1 % repeatability 10 – 100 Ohm/sq; 3 % accuracy & 1.5% repeatability 100 – 500 Ohm/sq; 4 % accuracy & 2% repeatability 100 – 1,000 Ohm/sq; 5 % accuracy & 2.5 % repeatability 1,000 – 3,000 Ohm/sq; 8 % accuracy & 4 % repeatability.

 $2\,\text{nm}$ – $2\,\text{mm}$ (in accordance with sheet resistance)

11.4 x 17.5 x 5.5 inch / 290 x 445 x 140 mm

10 kg

Sheet resistance measurement / metal thickness tester

SOFTWARE & HANDLING - EddyCus® TF lab Control

